

VYACC-LS

PVC Lightning Protection Support

DESCRIPTION

VYACC-LS is a prefabricated PVC/TPO support designed for lightning protection systems on PVC/TPO roofing membranes.

It provides a stable and secure base for lightning conductors while ensuring full compatibility with PVC/TPO membranes. The support can be directly welded onto the membrane surface, maintaining the waterproofing integrity of the roofing system.

BENEFITS

- Fully compatible with PVC/TPO membranes
- Ensures secure positioning of lightning conductors
- Maintains waterproofing integrity
- Easy installation by hot-air welding
- UV and weather resistant
- Durable and long service life

APPLICATIONS

- Lightning protection systems on roofs
- Cable support on PVC/TPO roofing systems
- Rooftop electrical installations

INSTALLATION

- Positioned on membrane surface
- Fixed by hot-air welding

Installation should be carried out according to project requirements

STORAGE & SHELF LIFE

Store in dry conditions, away from sunlight. Shelf life: 24 months.

DIMENSIONS & PACKAGING & TECHNICAL DATA

Parameter	Value
Top materials	6063 aluminum alloy
Base materials	PVC/TPO membrane
Base dimensions	Φ160 mm waterproofing membrane (customized)
Height	≥ 50mm
Compression resistance	≥ 500N
Tensile resistance	≥ 800N

VYKOL

PRODUCT IMAGES



VYKOL

PRODUCT IMAGES

