



VYACC-PB

Pipe Boot

DESCRIPTION

Prefabricated PVC/TPO pipe boot for sealing pipe penetrations.

BENEFITS

- Factory-made for consistent quality
- Reduces installation time
- Ensures watertight detailing

APPLICATIONS

- Roof pipe penetrations

INSTALLATION

Hot-air welded to PVC/TPO membranes.

STORAGE & SHELF LIFE

Store in dry conditions, away from sunlight. Shelf life: 24 months.


DIMENSIONS & PACKAGING & TECHNICAL DATA

Parameter	PB 228	PB 120	PB 200	PB 64	PB Semi	PB-T
Materials	PVC/TPO					
Thickness	1.8 mm	1.8 mm	1.8 mm	1.8 mm	1.8 mm	1.8 mm
Height	250 mm	310 mm	310 mm	236 mm	260 mm	50 mm
Opening dimension	10*60 mm	-	-	-	-	-
Pipe diameter	23-228 mm	60/80/ 100/120 mm	140/160/ 180/200 mm	64 mm	80-160 mm	-
Base dimensions	337 mm	160 mm	240 mm	300 mm	284/325 mm	180*180 mm


VYACC-PB

PRODUCT IMAGES

PB 228




PB 120



D60-120 Pipe Penetration Prefab

PB 200




D140-200 Pipe Penetration Prefab

VYACC-PB

PRODUCT IMAGES

PB 64



(Unit:mm)

PB Semi



D120 SEMI-WRAP
PIPE PENETRATION PREFAB



D160 SEMI-WRAP
PIPE PENETRATION PREFAB

VYKOL

VYACC-PB

PRODUCT IMAGES

PB-T

